Angle Bracket - Page 1 of 2

Mounting Hole Type:





6 71
Plain
First Leg Length:
0.688 inches
Second Leg Length:
1.813 inches
Reinforcement Method (non-core):
Rib stiffener center section
Second Leg Width:
0.750 inches
First Leg Hole Diameter:
0.204 inches
Second Leg Hole Diameter:
0.130 inches
Second Leg Distance Between Hole Centers Along Width:
0.375 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.375 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.313 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Width:
0.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.375 inches
First Leg Distance From Edge To Hole Center Along Length:
0.313 inches
First Leg End Radius:
0.438 inches
Second Leg End Radius:
0.438 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
Two holes

NSN 5340-00-074-9927

Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t4 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0