## NSN 5340-00-075-2666

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-075-2666

Fabrication Method (non-core):
Machined
First Leg Length:
0.810 inches
Second Leg Length:
1.060 inches
Second Leg Width:
1.981 inches
Second Leg Corner Radius:
0.310 inches
First Leg Hole Diameter:
Between 0.198 inches and 0.204 inches
Second Leg Hole Diameter:
Between 0.280 inches and 0.287 inches
Second Leg Distance Between Hole Centers Along Width:
1.361 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.310 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.310 inches
First Leg Thickness:
0.050 inches
Second Leg Thickness:
0.050 inches
First Leg Width:
0.620 inches
First Leg Distance From Edge To Hole Center Along Width:
0.310 inches
First Leg Distance From Edge To Hole Center Along Length:
0.310 inches
First Leg End Radius:
0.310 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:

Not identical

## NSN 5340-00-075-2666

Angle Bracket - Page 2 of 2

Mil-s-5059 spec.



First Leg Angle:
90.0 degrees
Material:
Steel comp 301
Material Specification:
Mil-s-5059 military specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):