

View Online at <https://aerobasegroup.com/nsn/5340-00-075-2668>

Fabrication Method (non-core):

Machined

Second Leg Length:

1.240 inches

First Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Hole Diameter:

Between 0.282 inches and 0.287 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Thickness:

Between 0.147 inches and 0.165 inches

Second Leg Thickness:

Between 0.147 inches and 0.165 inches

First Leg Width:

5.331 inches

First Leg Corner Radius:

0.281 inches

First Leg Distance From Edge To Hole Center Along Width:

0.281 inches

First Leg Distance From Edge To Hole Center Along Length:

0.281 inches

Second Leg End Radius:

0.375 inches

First Leg Style:

Corner radius

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

First Leg Angle:

156.5 degrees

Special Features:

First leg contains 6 mtg holes spaced approx 0.950 in. Nom c to c along width on radius of 14.670 in. Nom

Material:

Steel comp 4130

Material Specification:

Ams 6350 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0