

View Online at <https://aerobasegroup.com/nsn/5340-00-075-4004>

Fabrication Method (non-core):

Machined

First Leg Length:

1.940 inches

Second Leg Length:

2.310 inches

Second Leg Width:

1.636 inches

Second Leg Corner Radius:

0.310 inches

First Leg Hole Diameter:

Between 0.198 inches and 0.204 inches

Second Leg Hole Diameter:

Between 0.280 inches and 0.287 inches

Second Leg Distance Between Hole Centers Along Width:

1.016 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.310 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

0.620 inches

First Leg Distance Between Hole Centers Along Length:

1.130 inches

First Leg Distance From Edge To Hole Center Along Width:

0.310 inches

First Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg End Radius:

0.310 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 301

Material Specification:

Mil-s-5059 military specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.