## NSN 5340-00-075-4004

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-075-4004

Fabrication Method (non-core):
Machined
First Leg Length:
1.940 inches
Second Leg Length:
2.310 inches
Second Leg Width:
1.636 inches
Second Leg Corner Radius:
0.310 inches
First Leg Hole Diameter:
Between 0.198 inches and 0.204 inches
Second Leg Hole Diameter:
Between 0.280 inches and 0.287 inches
Second Leg Distance Between Hole Centers Along Width:
1.016 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.310 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.310 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Width:
0.620 inches
First Leg Distance Between Hole Centers Along Length:
1.130 inches
First Leg Distance From Edge To Hole Center Along Width:
0.310 inches
First Leg Distance From Edge To Hole Center Along Length:
0.310 inches
First Leg End Radius:
0.310 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:

Two holes

## **NSN 5340-00-075-4004** Angle Bracket - Page 2 of 2

Mil-s-5059 spec.



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Material:
Steel comp 301
Material Specification:
Mil-s-5059 military specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A042a0
Mil-std (military Standard):