

View Online at <https://aerobasegroup.com/nsn/5340-00-075-4897>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.640 inches

**Second Leg Length:**

1.470 inches

**Second Leg Width:**

1.570 inches

**Second Leg Corner Radius:**

0.310 inches

**First Leg Hole Diameter:**

Between 0.193 inches and 0.198 inches

**Second Leg Hole Diameter:**

Between 0.338 inches and 0.345 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.950 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.310 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**First Leg Thickness:**

0.060 inches

**Second Leg Thickness:**

0.060 inches

**First Leg Width:**

0.970 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.670 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.300 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 301

**Material Specification:**

Mil-s-5059 military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Offset angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-s-5059 spec.