

View Online at <https://aerobasegroup.com/nsn/5340-00-075-4898>

**Fabrication Method (non-core):**

Machined

**Second Leg Length:**

0.900 inches

**Second Leg Width:**

1.300 inches

**First Leg Hole Diameter:**

Between 0.345 inches and 0.350 inches

**Second Leg Hole Diameter:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Thickness:**

0.160 inches

**Second Leg Thickness:**

0.160 inches

**First Leg Width:**

2.539 inches

**First Leg Corner Radius:**

0.310 inches

**First Leg Distance Between Lower Hole Centers Along Width:**

1.919 inches

**First Leg Distance Between Hole Centers Along Length:**

0.031 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

0.959 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.310 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**Second Leg End Radius:**

0.380 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

159.0 degrees

**Special Features:**

Right hand

**Material:**

Steel comp 4130

**Material Specification:**

Mil-s-18729 military specification single material response

**Surface Treatment:**

Paint

**Style Designator:**

Offset angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-s-18729 spec.