

View Online at <https://aerobasegroup.com/nsn/5340-00-075-4902>

Fabrication Method (non-core):

Machined

First Leg Length:

0.895 inches

Second Leg Length:

1.461 inches

Second Leg Width:

5.338 inches

Second Leg Corner Radius:

0.281 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.281 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.281 inches

First Leg Thickness:

Between 0.146 inches and 0.166 inches

Second Leg Thickness:

Between 0.146 inches and 0.166 inches

First Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg End Radius:

0.375 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

First Leg Angle:

159.0 degrees

Special Features:

Second leg contains 6 mtg holes spaced approx 0.950 in. Nom c to c along width on radius of 14.670 in. Nom

Material:

Steel comp 4130

Material Specification:

Ams 6350 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0