## NSN 5340-00-075-4902

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-075-4902

Fabrication Method (non-core):
Machined
First Leg Length:
0.895 inches
Second Leg Length:
1.461 inches
Second Leg Width:
5.338 inches
Second Leg Corner Radius:
0.281 inches
First Leg Hole Diameter:
Between 0.276 inches and 0.286 inches
Second Leg Hole Diameter:
Between 0.339 inches and 0.349 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.281 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.281 inches
First Leg Thickness:
Between 0.146 inches and 0.166 inches
Second Leg Thickness:
Between 0.146 inches and 0.166 inches
First Leg Distance From Edge To Hole Center Along Length:
0.375 inches
First Leg End Radius:
0.375 inches
First Leg Style:
End radius and tapered
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Corner radius
First Leg Angle:
159.0 degrees
Special Features:
Second leg contains 6 mtg holes spaced approx 0.950 in. Nom c to c along width on radius of 14.670 in. Nom
Material:
Steel comp 4130
Material Specification:
Ams 6350 assn standard single material response
Surface Treatment:
Cadmium

## NSN 5340-00-075-4902

Angle Bracket - Page 2 of 2



Ams 2400 assn standard single treatment response

**Style Designator:** 

Angle

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0