## NSN 5340-00-075-4908

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-075-4908

Entrication Method (non core)
Fabrication Method (non-core):  Machined
First Leg Length:
0.930 inches
Second Leg Length:
1.000 inches
Second Leg Width:
1.950 inches
Second Leg Corner Radius:
0.500 inches
First Leg Hole Diameter:
Between 0.339 inches and 0.349 inches
Second Leg Hole Diameter:
Between 0.250 inches and 0.257 inches
Second Leg Distance Between Hole Centers Along Width:
0.950 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.500 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.500 inches
First Leg Thickness:
0.120 inches
Second Leg Thickness:
0.120 inches
First Leg Width:
2.464 inches
First Leg Corner Radius:
0.280 inches
First Leg Distance Between Lower Hole Centers Along Width:
1.904 inches
First Leg Distance Between Second And Third Hole Centers Along Width:
0.952 inches
First Leg Distance From Edge To Hole Center Along Width:
0.280 inches
First Leg Distance From Edge To Hole Center Along Length:
0.280 inches
First Leg Style:
Corner radius
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:

Two holes

## **NSN 5340-00-075-4908** Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Material:
Steel
Material Specification:
Ams 5363 assn standard single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A042a0