

View Online at <https://aerobasegroup.com/nsn/5340-00-075-4908>

Fabrication Method (non-core):

Machined

First Leg Length:

0.930 inches

Second Leg Length:

1.000 inches

Second Leg Width:

1.950 inches

Second Leg Corner Radius:

0.500 inches

First Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Hole Diameter:

Between 0.250 inches and 0.257 inches

Second Leg Distance Between Hole Centers Along Width:

0.950 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.120 inches

Second Leg Thickness:

0.120 inches

First Leg Width:

2.464 inches

First Leg Corner Radius:

0.280 inches

First Leg Distance Between Lower Hole Centers Along Width:

1.904 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

0.952 inches

First Leg Distance From Edge To Hole Center Along Width:

0.280 inches

First Leg Distance From Edge To Hole Center Along Length:

0.280 inches

First Leg Style:

Corner radius

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Ams 5363 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0