

View Online at <https://aerobasegroup.com/nsn/5340-00-075-4924>

Fabrication Method (non-core):

Machined

Mounting Hole Type:

Plain

First Leg Length:

0.580 inches

Second Leg Length:

2.863 inches

Second Leg Width:

2.175 inches

Second Leg Hole Diameter:

Between 0.339 inches and 0.349 inches

Second Leg Distance Between Hole Centers Along Width:

0.090 inches

Second Leg Distance Between Hole Centers Along Length:

1.352 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.281 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.281 inches

First Leg Thickness:

Between 0.115 inches and 0.135 inches

Second Leg Thickness:

Between 0.115 inches and 0.135 inches

First Leg Width:

1.500 inches

Second Leg End Radius:

0.281 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 4130 or steel comp 8630

Material Specification:

Ams 6350 assn standard 1st material response or ams 6355 assn standard 2nd material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0