

View Online at <https://aerobasegroup.com/nsn/5340-00-079-4146>

First Leg Length:

Between 0.960 inches and 1.000 inches

Second Leg Length:

Between 1.620 inches and 1.640 inches

Second Leg Width:

Between 1.420 inches and 1.480 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.283 inches

Second Leg Hole Diameter:

Between 0.485 inches and 0.515 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.710 inches and 0.740 inches

First Leg Thickness:

Between 0.115 inches and 0.135 inches

Second Leg Thickness:

Between 0.115 inches and 0.135 inches

First Leg Width:

Between 1.420 inches and 1.480 inches

First Leg Corner Radius:

Between 0.240 inches and 0.260 inches

First Leg Distance Between Hole Centers Along Width:

Between 0.940 inches and 0.960 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 89.0 degrees and 91.0 degrees

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0