

View Online at <https://aerobasegroup.com/nsn/5340-00-080-7574>

**First Leg Length:**

2.750 inches

**Second Leg Length:**

4.688 inches

**Second Leg Width:**

5.000 inches

**First Leg Hole Diameter:**

0.625 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.438 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.438 inches

**Second Leg Slot Length:**

1.266 inches

**Second Leg Slot Width:**

Between 0.760 inches and 0.770 inches

**First Leg Thickness:**

Between 0.719 inches and 0.781 inches

**Second Leg Thickness:**

Between 0.969 inches and 1.031 inches

**First Leg Width:**

5.000 inches

**First Leg Distance Between Hole Centers Along Width:**

3.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.875 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.875 inches

**Second Leg End Radius:**

1.438 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

45.0 degrees

**Material:**

Aluminum alloy

**Material Specification:**

Mil-a-19005 military specification all material responses

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, ty3, cl1 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-a-19005 spec.