

View Online at <https://aerobasegroup.com/nsn/5340-00-109-4248>

**First Leg Length:**

1.750 inches

**Second Leg Length:**

3.000 inches

**Reinforcement Method (non-core):**

Raised center first leg

**Second Leg Width:**

6.750 inches

**First Leg Slot Length:**

0.750 inches

**First Leg Slot Width:**

0.531 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.875 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.062 inches

**Second Leg Slot Length:**

0.750 inches

**Second Leg Slot Width:**

0.531 inches

**First Leg Thickness:**

0.312 inches

**Second Leg Thickness:**

0.312 inches

**First Leg Width:**

6.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.875 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.625 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Heat Treatment:**

O-annealed, recrystallized

**Material:**

Aluminum alloy 5083 or aluminum alloy 6061 or aluminum alloy 6062 or aluminum alloy 6061

**Material Specification:**

Qq-a-200/4 h112 federal specification 1st material response or qq-a-200/8 t6 federal specification 2nd material response or qq-a-200/8 t6 federal specification 2nd material response or qq-a-250/11 t6 federal specification 3rd material response

**Surface Treatment:**

Enamel

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0