

View Online at <https://aerobasegroup.com/nsn/5340-00-113-1729>

Mounting Hole Type:

Plain

First Leg Length:

0.9900 inches

Second Leg Length:

2.1500 inches

Second Leg Width:

1.1500 inches

Second Leg Corner Radius:

Between 0.2000 inches and 0.2200 inches

First Leg Hole Diameter:

Between 0.2170 inches and 0.2240 inches

Second Leg Hole Diameter:

Between 0.2170 inches and 0.2240 inches

Second Leg Distance Between Hole Centers Along Width:

0.7500 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.2000 inches and 0.2200 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.2000 inches and 0.2200 inches

First Leg Thickness:

Between 0.0870 inches and 0.0930 inches

Second Leg Thickness:

Between 0.0870 inches and 0.0930 inches

First Leg Width:

1.1500 inches

First Leg Corner Radius:

Between 0.2000 inches and 0.2400 inches

First Leg Distance From Edge To Hole Center Along Width:

0.4500 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.2600 inches and 0.3000 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

Material:

Aluminum alloy 2024

Material Specification:

Ams 4035 assn standard single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Ams 2471 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0