

View Online at <https://aerobasegroup.com/nsn/5340-00-113-1737>

Mounting Hole Type:

Plain

First Leg Length:

Between 1.060 inches and 1.100 inches

Second Leg Length:

Between 2.240 inches and 2.300 inches

Second Leg Corner Radius:

Between 0.240 inches and 0.300 inches

First Leg Hole Diameter:

Between 0.336 inches and 0.351 inches

Second Leg Hole Diameter:

Between 0.213 inches and 0.224 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.600 inches and 0.650 inches

Second Leg Distance From Edge To Hole Center Along Length:

2.000 inches

First Leg Thickness:

Between 0.073 inches and 0.087 inches

Second Leg Thickness:

Between 0.073 inches and 0.087 inches

First Leg Corner Radius:

Between 0.260 inches and 0.280 inches

First Leg Distance Between Hole Centers Along Width:

0.876 inches

First Leg Distance Between Hole Centers Along Length:

0.061 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.260 inches and 0.300 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.260 inches and 0.280 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0