

View Online at <https://aerobasegroup.com/nsn/5340-00-113-6450>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.870 inches and 0.930 inches

Second Leg Length:

Between 2.800 inches and 2.880 inches

Second Leg Width:

2.316 inches

Second Leg Corner Radius:

Between 0.060 inches and 0.100 inches

First Leg Hole Diameter:

Between 0.343 inches and 0.350 inches

Second Leg Hole Diameter:

Between 0.213 inches and 0.225 inches

Second Leg Distance Between Hole Centers Along Length:

Between 0.550 inches and 0.570 centimeters

Second Leg Distance From Edge To Hole Center Along Width:

1.158 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.280 inches

First Leg Thickness:

Between 0.057 inches and 0.069 inches

Second Leg Thickness:

Between 0.057 inches and 0.069 inches

First Leg Width:

2.316 inches

First Leg Corner Radius:

Between 0.260 inches and 0.300 inches

First Leg Distance Between Lower Hole Centers Along Width:

1.756 inches

First Leg Distance Between Hole Centers Along Length:

0.010 inches

First Leg Distance Between First And Second Hole Centers Along Width:

0.878 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.260 inches and 0.300 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.260 inches and 0.280 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

2nd leg left corner beveled 27 degrees from cntr along width

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0