

View Online at <https://aerobasegroup.com/nsn/5340-00-113-9676>

Fabrication Method (non-core):

Machined

First Leg Length:

2.495 inches

Second Leg Length:

4.720 inches

Second Leg Width:

1.740 inches

First Leg Hole Diameter:

0.280 inches

Second Leg Hole Diameter:

0.320 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.820 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.820 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.375 inches

Center Section Height:

11.695 inches

Center Section Width:

4.260 inches

Center Section Thickness:

0.375 inches

First Leg Width:

3.250 inches

First Leg Corner Radius:

0.500 inches

First Leg Distance Between Hole Centers Along Width:

3.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

Second Leg End Radius:

0.820 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

105.0 degrees

Second Leg Angle:

105.0 degrees

Special Features:

2 holes 0.440 in. Min 0.460 in. Maximum diameter in center section

Heat Treatment:

O-annealed, recrystallized

Material:

Aluminum alloy 6061

Surface Treatment:

Enamel

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0