## NSN 5340-00-124-7245



Double Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-00-124-7245 First Leg Length: 1.570 inches Second Leg Length: 2.560 inches First Leg Slot Length: 0.750 inches First Leg Slot Width: 0.560 inches Second Leg Hole Diameter: 0.340 inches Second Leg Distance Between Hole Centers Along Width: Between 1.240 inches and 1.260 inches Second Leg Distance From Edge To Hole Center Along Width: 0.380 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.620 inches First Leg Thickness: 0.250 inches Second Leg Thickness: 0.250 inches **Center Section Height:** 1.250 inches **Center Section Width:** 2.000 inches **Center Section Thickness:** 0.250 inches First Leg Width: 2.000 inches First Leg End Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: 0.255 inches First Leg Style:

Square and tapered First Leg Hole Arrangement Style: One slot Second Leg Style: Square **Second Leg Hole Arrangement Style:** 

Two holes

## NSN 5340-00-124-7245

Double Angle Bracket - Page 2 of 2



| Second Leg Relationship To First Leg: |
|---------------------------------------|
| Not identical                         |
| First Leg Angle:                      |
| 90.0 degrees                          |
| Second Leg Angle:                     |
| 90.0 degrees                          |
| Material:                             |
| Steel comp 1015 or steel comp 1025    |
| Surface Treatment:                    |
| Cadmium                               |
| Style Designator:                     |
| Double angle                          |
| Shelf Life:                           |
| N/a                                   |
| Unit Of Measure:                      |
|                                       |
| Demilitarization:                     |
| No                                    |
| Fiig:                                 |

A042a0