## NSN 5340-00-126-0006

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-126-0006

First Leg Length:
0.151 inches
Second Leg Length:
0.690 inches
Second Leg Width:
0.620 inches
First Leg Hole Diameter:
0.098 inches
Second Leg Hole Diameter:
0.098 inches
Second Leg Distance Between Hole Centers Along Length:
0.620 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.312 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.312 inches
First Leg Thickness:
0.062 inches
Second Leg Thickness:
0.062 inches
First Leg Width:
0.620 inches
First Leg Distance From Edge To Hole Center Along Width:
0.312 inches
First Leg Distance From Edge To Hole Center Along Length:
0.312 inches
First Leg End Radius:
0.430 inches
Second Leg End Radius:
0.430 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
96.0 degrees

## NSN 5340-00-126-0006

Angle Bracket - Page 2 of 2



Second Leg Offset Angle:
84.0 degrees
Material:
Aluminum alloy 7075
Material Specification:
Qq-a-200/11, t6 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Offset angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-a-8625 spec.