NSN 5340-00-128-1712

Helical Compression Spring Seat - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-00-128-1712
Counterbore Diameter:
Between 0.4990 inches and 0.5010 inches
Overall Height:
Between 1.4200 inches and 1.4400 inches
First Step Diameter:
Between 1.5900 inches and 1.6500 inches
First Step Length:
Between 0.0700 inches and 0.0900 inches
Bore Diameter:
Between 0.3250 inches and 0.3450 inches
Second End Diameter:
Between 0.6100 inches and 0.6300 inches
Design Type:
Solid
End Diameter:
Between 0.6100 inches and 0.6300 inches
Distance From End To First Step:
Between 0.3100 inches and 0.3300 inches
Counterbore Length:
Between 1.2800 inches and 1.3400 inches
Special Features:
Two sides of first step flattenedto 1.2500 in. Across flats, four mtg holes parallel to bore through first step 0.125 in. Dia, 0.750 in. C to c
Material:
Aluminum alloy, ams 4260
Material:
Aluminum alloy, ams 4260
Surface Treatment:
Chromate zinc
Style Designator:
Seat
Surface Treatment:
Zinc chromate primer
Test Data Document:
97499-bps4089 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification forma
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Fiig: T319-e

No