

View Online at <https://aerobasegroup.com/nsn/5340-00-128-1712>

Counterbore Diameter:

Between 0.4990 inches and 0.5010 inches

Overall Height:

Between 1.4200 inches and 1.4400 inches

First Step Diameter:

Between 1.5900 inches and 1.6500 inches

First Step Length:

Between 0.0700 inches and 0.0900 inches

Bore Diameter:

Between 0.3250 inches and 0.3450 inches

Second End Diameter:

Between 0.6100 inches and 0.6300 inches

Design Type:

Solid

End Diameter:

Between 0.6100 inches and 0.6300 inches

Distance From End To First Step:

Between 0.3100 inches and 0.3300 inches

Counterbore Length:

Between 1.2800 inches and 1.3400 inches

Special Features:

Two sides of first step flattened to 1.2500 in. Across flats, four mtg holes parallel to bore through first step 0.125 in. Dia, 0.750 in. C to c

Material:

Aluminum alloy, ams 4260

Material:

Aluminum alloy, ams 4260

Surface Treatment:

Chromate zinc

Style Designator:

Seat

Surface Treatment:

Zinc chromate primer

Test Data Document:

97499-bps4089 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T319-e