

View Online at <https://aerobasegroup.com/nsn/5340-00-132-4267>

First Leg Length:

0.781 inches

Second Leg Length:

1.625 inches

Second Leg Width:

0.625 inches

First Leg Hole Diameter:

Between 0.375 inches and 0.380 inches

Second Leg Hole Diameter:

Between 0.250 inches and 0.255 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.312 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.375 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

0.625 inches

First Leg Distance From Edge To Hole Center Along Width:

0.312 inches

First Leg Distance From Edge To Hole Center Along Length:

0.469 inches

First Leg End Radius:

0.312 inches

Second Leg End Radius:

0.312 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Spotface 0.688 in. Dia

Material:

Steel comp 301 or steel comp 302 or steel comp 304

Material Specification:

Mil-s-5059, cond tn, 1/2 hard military specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 11 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.