

View Online at <https://aerobasegroup.com/nsn/5340-00-139-4993>

**Fabrication Method (non-core):**

Any acceptable

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 1.070 inches and 1.130 inches

**Second Leg Length:**

Between 1.220 inches and 1.280 inches

**Second Leg Width:**

Between 1.470 inches and 1.530 inches

**First Leg Slot Length:**

Between 0.390 inches and 0.450 inches

**First Leg Slot Width:**

Between 0.190 inches and 0.196 inches

**Second Leg Hole Diameter:**

Between 0.249 inches and 0.255 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.720 inches and 0.780 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.220 inches and 0.280 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

Between 1.470 inches and 1.530 inches

**First Leg Corner Radius:**

Between 0.220 inches and 0.280 inches

**First Leg Distance Between Hole Centers Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.255 inches and 0.258 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.390 inches

**Second Leg End Radius:**

Between 0.220 inches and 0.280 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

105.0 degrees

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-250/5, alclad t3 federal specification single material response

**Surface Treatment:**

Chromate zinc

**Surface Treatment Specification:**

299-099-031 bell helicopter co. Mfr ref single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0