## NSN 5340-00-146-3114

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-146-3114

Fabrication Method (non-core):
Machined
First Leg Length:
0.870 inches
Second Leg Length:
1.160 inches
Second Leg Width:
1.340 inches
First Leg Hole Diameter:
Between 0.220 inches and 0.226 inches
Second Leg Hole Diameter:
Between 0.220 inches and 0.226 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.670 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.410 inches
First Leg Thickness:
0.050 inches
Second Leg Thickness:
0.050 inches
First Leg Width:
1.340 inches
First Leg Corner Radius:
0.410 inches
First Leg Distance Between Hole Centers Along Width:
0.520 inches
First Leg Distance From Edge To Hole Center Along Width:
0.410 inches
First Leg Distance From Edge To Hole Center Along Length:
0.410 inches
Second Leg End Radius:
0.410 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
End radius and tapered
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical

## **NSN 5340-00-146-3114** Angle Bracket - Page 2 of 2

A042a0



First Leg Angle:
90.0 degrees
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/5, alclad t3 federal specification single material response
Surface Treatment:
Anodize
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: