

View Online at <https://aerobasegroup.com/nsn/5340-00-146-3114>

Fabrication Method (non-core):

Machined

First Leg Length:

0.870 inches

Second Leg Length:

1.160 inches

Second Leg Width:

1.340 inches

First Leg Hole Diameter:

Between 0.220 inches and 0.226 inches

Second Leg Hole Diameter:

Between 0.220 inches and 0.226 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.670 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.410 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

1.340 inches

First Leg Corner Radius:

0.410 inches

First Leg Distance Between Hole Centers Along Width:

0.520 inches

First Leg Distance From Edge To Hole Center Along Width:

0.410 inches

First Leg Distance From Edge To Hole Center Along Length:

0.410 inches

Second Leg End Radius:

0.410 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t3 federal specification single material response

Surface Treatment:

Anodize

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0