## NSN 5340-00-146-7654



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-00-146-7654 First Leg Length: 0.625 inches Second Leg Length: 0.690 inches Second Leg Width: 0.500 inches First Leg Hole Diameter: 0.204 inches **Second Leg Hole Diameter:** Between 0.277 inches and 0.292 inches Second Leg Distance From Edge To Hole Center Along Width: 0.250 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.250 inches First Leg Thickness: 0.063 inches **Second Leg Thickness:** 0.063 inches First Leg Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Width: 0.250 inches First Leg Distance From Edge To Hole Center Along Length: 0.250 inches First Leg End Radius: 0.250 inches Second Leg End Radius: 0.250 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style:

End radius Second Leg Hole Arrangement Style: One hole Second Leg Relationship To First Leg: Not identical First Leg Angle: 90.0 degrees **Heat Treatment:** T-3 solution heat treated

## NSN 5340-00-146-7654

Angle Bracket - Page 2 of 2

Mil-a-8625 spec.



Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/5, alclad t3 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 1 military specification 1st treatment response or mil-a-8625, type 2 military specification 2nd treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):