

View Online at <https://aerobasegroup.com/nsn/5340-00-148-1201>

First Leg Length:

1.140 inches

Second Leg Length:

1.410 inches

Second Leg Width:

4.386 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance Between Hole Centers Along Width:

3.886 inches

Second Leg Distance Between Hole Centers Along Length:

0.660 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

Between 0.056 inches and 0.062 inches

Second Leg Thickness:

Between 0.056 inches and 0.062 inches

First Leg Width:

4.386 inches

First Leg Corner Radius:

0.531 inches

First Leg Distance Between Hole Centers Along Width:

2.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.470 inches

First Leg Distance From Edge To Hole Center Along Length:

0.800 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg cutout 45 degrees 1.360 in. Deep

Material:

Titanium alloy

Material Specification:

Ams 4910 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0