

View Online at <https://aerobasegroup.com/nsn/5340-00-148-1227>

Thread Class:

3a rod connection

Thread Direction:

Right-hand rod connection

Thread Length:

0.990 inches rod connection and 1.010 inches rod connection

Shank Length:

Between 0.990 inches and 1.010 inches

Hole Diameter:

Between 0.2495 inches and 0.2505 inches

Shank Diameter:

0.250 inches

Overall Height:

Between 0.480 inches and 0.520 inches

Overall Width:

Between 0.540 inches and 0.560 inches

End Radius:

Between 0.240 inches and 0.260 inches

Metallic Hardness Rating:

25.0 rockwell c and 33.0 rockwell c

Fork Span Width:

Between 0.345 inches and 0.347 inches

Distance From Pivot Pinhole Center To Rod Connection End:

Between 3.820 inches and 3.880 inches

Fork Arm Thickness:

Between 0.096 inches and 0.107 inches

Fork Depth:

Between 0.740 inches and 0.760 inches

Shank Shoulder Diameter:

Between 0.270 inches and 0.290 inches

Shank Shoulder Length:

Between 2.070 inches and 2.130 inches

Thread Size:

0.250 inches rod connection

Criticality Code Justification:

Aaub

Material:

Steel comp 410

Material Specification:

Ams 5613 assn standard single material response

Style Designator:

Clevis

Thread Series Designator:

Unjf rod connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A264a0