NSN 5340-00-150-2488

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-150-2488

Fabrication Method (non-core):
Formed
Second Leg Width:
0.500 inches
Second Leg Corner Radius:
0.156 inches
First Leg Hole Diameter:
Between 0.307 inches and 0.317 inches
Second Leg Hole Diameter:
Between 0.216 inches and 0.226 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.250 inches
First Leg Thickness:
Between 0.056 inches and 0.062 inches
Second Leg Thickness:
Between 0.056 inches and 0.062 inches
Center Section Width:
0.500 inches
Center Section Thickness:
Between 0.056 inches and 0.062 inches
First Leg Width:
2.000 inches
First Leg Corner Radius:
0.250 inches
First Leg Distance Between Hole Centers Along Width:
1.500 inches
First Leg Distance From Edge To Hole Center Along Width:
0.250 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
One hole
Material:
Steel comp 410
Material Specification:
Ams 5504 assn standard single material response

NSN 5340-00-150-2488

Double Angle Bracket - Page 2 of 2

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

