

View Online at <https://aerobasegroup.com/nsn/5340-00-151-7018>

Fabrication Method (non-core):

Formed

First Leg Length:

Between 0.760 inches and 0.770 inches

Second Leg Length:

Between 0.840 inches and 0.850 inches

Second Leg Width:

Between 0.600 inches and 0.640 inches

First Leg Hole Diameter:

0.219 inches

Second Leg Hole Diameter:

Between 0.360 inches and 0.380 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.300 inches and 0.320 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.360 inches and 0.400 inches

First Leg Thickness:

Between 0.069 inches and 0.073 inches

Second Leg Thickness:

Between 0.069 inches and 0.073 inches

Center Section Height:

Between 0.290 inches and 0.320 inches

Center Section Width:

Between 0.600 inches and 0.640 inches

Center Section Thickness:

Between 0.069 inches and 0.073 inches

First Leg Width:

Between 0.600 inches and 0.640 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.300 inches and 0.320 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.280 inches and 0.320 inches

First Leg End Radius:

Between 0.400 inches and 0.440 inches

Second Leg End Radius:

Between 0.400 inches and 0.440 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

156.5 degrees

Second Leg Angle:

156.5 degrees

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0