NSN 5340-00-152-4729

Angle Bracket - Page 1 of 2





Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Plain

First Leg Length:

1.250 inches

Second Leg Length:

1.614 inches

Second Leg Width:

1.440 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.214 inches and 0.224 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

Between 0.056 inches and 0.062 inches

Second Leg Thickness:

Between 0.056 inches and 0.062 inches

First Leg Width:

0.500 inches

First Leg Distance Between Hole Centers Along Width:

0.940 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg End Radius:

0.250 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

NSN 5340-00-152-4729

Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

One additional leg bent 90 degrees opposite second leg, 3.390 in. Lg, 0.500 in. Wide and 1 mtg hole 0.219

Material:

Steel comp 410

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A042a0