

View Online at <https://aerobasegroup.com/nsn/5340-00-168-2802>

Fabrication Method (non-core):

Stamped

Mounting Hole Type:

Threaded

First Leg Length:

3.250 inches

Second Leg Length:

7.125 inches

Second Leg End Width:

6.000 inches

First Leg Hole Diameter:

Between 0.300 inches and 0.320 inches

Second Leg Hole Diameter:

Between 0.320 inches and 0.360 inches

Second Leg Distance Between Hole Centers Along Width:

5.120 inches

Second Leg Distance Between Hole Centers Along Length:

1.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

2.000 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

4.500 inches

Center Section Width:

8.690 inches

Center Section Thickness:

2.500 inches

First Leg Width:

8.690 inches

First Leg End Width:

2.000 inches

First Leg Distance Between Hole Centers Along Width:

2.000 inches

First Leg Distance Between Hole Centers Along Length:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.970 inches and 1.030 inches

First Leg Distance From Edge To Hole Center Along Length:

0.370 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

45.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11, 0 federal specification single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0