

View Online at <https://aerobasegroup.com/nsn/5340-00-168-7064>

First Leg Length:

Between 0.775 inches and 0.795 inches

Second Leg Length:

Between 1.737 inches and 1.788 inches

Second Leg Width:

Between 2.411 inches and 2.474 inches

Second Leg Corner Radius:

Between 0.203 inches and 0.234 inches

First Leg Hole Diameter:

Between 0.214 inches and 0.224 inches

Second Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.003 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

1.003 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.203 inches and 0.234 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.203 inches and 0.234 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

Between 0.480 inches and 0.520 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg End Radius:

Between 0.240 inches and 0.260 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Nickel alloy x-750

Material Specification:

Ams 5598 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0