## NSN 5340-00-170-1583

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-170-1583

Fabrication Method (non-core):
Stamped
First Leg Length:
0.625 inches
Second Leg Length:
0.690 inches
Second Leg Width:
0.500 inches
First Leg Hole Diameter:
0.128 inches
Second Leg Hole Diameter:
0.204 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.250 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Width:
0.500 inches
First Leg Distance From Edge To Hole Center Along Width:
0.250 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg End Radius:
0.250 inches
Second Leg End Radius:
0.250 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:

90.0 degrees

## **NSN 5340-00-170-1583** Angle Bracket - Page 2 of 2



Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/5 federal specification single material response
Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541 military specification single treatment response
Style Designator:
Angle
Specification Data:
76823-45c516 manufacturers specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):

Mil-c-5541 spec.