

View Online at <https://aerobasegroup.com/nsn/5340-00-172-9435>

Fabrication Method (non-core):

Stamped

Mounting Hole Type:

Countersunk

First Leg Length:

0.251 inches

Second Leg Length:

0.491 inches

Second Leg Width:

0.188 inches

First Leg Hole Diameter:

0.093 inches

Second Leg Hole Diameter:

0.089 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.094 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.085 inches

First Leg Thickness:

0.032 inches

Second Leg Thickness:

0.032 inches

First Leg Width:

0.188 inches

First Leg Distance From Edge To Hole Center Along Width:

0.094 inches

First Leg Distance From Edge To Hole Center Along Length:

0.094 inches

First Leg End Radius:

0.094 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Countersunk hole on long leg 0.146 in.Dia by 82 deg

Material:

Steel comp 303 or steel comp 304

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0