## NSN 5340-00-174-8632

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-174-8632 First Leg Length: 2.690 inches Second Leg Length: 3.440 inches Second Leg Width: 2.000 inches First Leg Hole Diameter: Between 0.435 inches and 0.451 inches Second Leg Hole Diameter: Between 0.176 inches and 0.660 inches Second Leg Distance From Edge To Hole Center Along Width: 1.500 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.724 inches Second Leg Distance Between First And Second Hole Centers Along Length: 0.906 inches Second Leg Distance Between Second And Third Hole Centers Along Length: 0.906 inches First Leg Thickness: 0.090 inches Second Leg Thickness: 0.090 inches First Leg Width: 1.000 inches First Leg Distance Between Hole Centers Along Length: 1.500 inches First Leg Distance From Edge To Hole Center Along Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Length: 0.570 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: Square **Second Leg Hole Arrangement Style:** Three holes Second Leg Relationship To First Leg:

Not identical First Leg Angle:

90.0 degrees

## **NSN 5340-00-174-8632** Angle Bracket - Page 2 of 2

Fiig: A042a0



Special Features:
Larger dia. Hole is centered between the two smaller dia. Holes
Material:
Steel
Material Specification:
Qq-s-698 federal specification single material response
Surface Treatment:
Enamel
Surface Treatment Specification:
Tt-e-529 federal specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No