NSN 5340-00-176-0592

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-176-0592

First Leg Length:

Between 0.500 inches and 0.560 inches

Second Leg Length:

Between 3.182 inches and 3.322 inches

Second Leg Width:

Between 4.110 inches and 4.170 inches

Second Leg Corner Radius:

Between 0.670 inches and 0.730 inches

First Leg Thickness:

Between 0.022 inches and 0.042 inches

Second Leg Thickness:

Between 0.022 inches and 0.042 inches

Center Section Height:

Between 0.620 inches and 0.680 inches

Center Section Width:

Between 4.110 inches and 4.170 inches

Center Section Thickness:

Between 0.022 inches and 0.042 inches

First Leg Width:

Between 4.110 inches and 4.170 inches

First Leg Corner Radius:

Between 0.220 inches and 0.280 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

No hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, alclad t3 federal specification single material response

Surface Treatment:

Anodize

NSN 5340-00-176-0592

Double Angle Bracket - Page 2 of 2



Mil-c-5541, class 2 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.