

View Online at <https://aerobasegroup.com/nsn/5340-00-178-0432>

Fabrication Method (non-core):

Welded

First Leg Length:

2.250 inches

Second Leg Length:

9.250 inches

Reinforcement Method (non-core):

Web center section

Second Leg Width:

5.120 inches

Second Leg Corner Radius:

0.380 inches

First Leg Hole Diameter:

Between 0.281 inches and 0.297 inches

Second Leg Hole Diameter:

Between 0.281 inches and 0.297 inches

Second Leg Distance Between Hole Centers Along Width:

Between 4.370 inches and 4.380 inches

Second Leg Distance Between Hole Centers Along Length:

Between 7.870 inches and 7.880 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.380 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

5.120 inches

First Leg Corner Radius:

0.380 inches

First Leg Distance Between Hole Centers Along Width:

Between 4.370 inches and 4.380 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

1.130 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0