## NSN 5340-00-178-1556

Rod End Clevis - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-178-1556

| View Online at https://aerobasegroup.com/nsn/5340-00-178-1556  |
|--|
| Thread Class:  |
| 2b rod connection  |
| Thread Direction:  |
| Right-hand rod connection  |
| Thread Length:   |
| 0.710 inches rod connection  |
| Hole Diameter:   |
| Between 0.250 inches and 0.255 inches  |
| Overall Height:  |
| 0.620 inches   |
| Overall Width:   |
| 0.620 inches   |
| End Radius:  |
| 0.500 inches   |
| Fork Span Width:   |
| Between 0.380 inches and 0.410 inches  |
| Distance From Center Of Securing Pin Hole To Rod End:  |
| 1.090 inches   |
| Distance From Pivot Pinhole Center To Rod Connection End:  |
| 1.090 inches   |
| Fork Arm Thickness:  |
| 0.120 inches   |
| Fork Depth:  |
| 0.630 inches   |
| Thread Size:   |
| 0.375 inches rod connection  |
| Material:  |
| Steel or steel comp 1025 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel |
| comp 1022 or steel comp 1023   |
| Material Specification:  |
| Qq-s-631 federal specification all material responses or qq-s-634 federal specification all material responses                   |
| Surface Treatment:   |
| Cadmium  |
| Surface Treatment Specification:   |
| Qq-p-416, type 2, class 3 federal specification single treatment response  |
| Style Designator:  |
| Clevis   |
| Thread Series Designator:  |
| Unf rod connection   |
| Shelf Life:  |
| N/a  |

--

**Unit Of Measure:** 

## NSN 5340-00-178-1556

Rod End Clevis - Page 2 of 2



Demilitarization:

No

Fiig:

A264a0