

View Online at <https://aerobasegroup.com/nsn/5340-00-178-8897>

Fabrication Method (non-core):

Machined

First Leg Length:

1.250 inches

Second Leg Length:

1.380 inches

Second Leg Width:

8.250 inches

First Leg Hole Diameter:

Between 0.265 inches and 0.272 inches

Second Leg Hole Diameter:

Between 0.499 inches and 0.506 inches

Second Leg Distance Between Hole Centers Along Width:

7.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.620 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.630 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

8.250 inches

First Leg Distance Between First And Second Hole Centers Along Width:

3.200 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

3.200 inches

First Leg Distance From Edge To Hole Center Along Width:

0.920 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Heat Treatment:

T-4 solution heat treated

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-200/3, t4 federal specification single material response

Surface Treatment:

Lacquer

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0