

View Online at <https://aerobasegroup.com/nsn/5340-00-195-2070>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.570 inches and 0.610 inches

Second Leg Length:

Between 0.570 inches and 0.610 inches

Second Leg Width:

2.511 inches

Second Leg Corner Radius:

Between 0.240 inches and 0.260 inches

First Leg Hole Diameter:

Between 0.230 inches and 0.250 inches

Second Leg Hole Diameter:

Between 0.230 inches and 0.250 inches

Second Leg Distance Between Hole Centers Along Width:

2.011 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Thickness:

0.400 inches

Second Leg Thickness:

0.040 inches

Center Section Height:

Between 0.310 inches and 0.350 inches

Center Section Width:

2.010 inches

Center Section Thickness:

0.040 inches

First Leg Width:

1.500 inches

First Leg Corner Radius:

Between 0.240 inches and 0.260 inches

First Leg Distance Between Hole Centers Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 0.07 radians and 0.12 radians

Second Leg Angle:

Between 0.07 radians and 0.12 radians

Material:

Steel

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0