NSN 5340-00-202-2692

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-202-2692

Fabrication Method (non-core):
First Leg Length:
1.500 inches
Second Leg Length:
2.250 inches
End Application:
Automatic drain valve air dryer, instrument air compressor Igm-30 I.F. Support bldg
Second Leg Width:
4.312 inches
First Leg Hole Diameter:
0.266 inches
Second Leg Hole Diameter:
0.203 inches
Second Leg Hole Center Radius:
1.938 inches
First Leg Thickness:
0.062 inches
Second Leg Thickness:
0.062 inches
Center Section Height:
2.688 inches
Center Section Width:
4.312 inches
Center Section Thickness:
0.062 inches
First Leg Width:
4.312 inches
First Leg Distance Between Hole Centers Along Width:
3.562 inches
First Leg Distance From Edge To Hole Center Along Width:
0.375 inches
First Leg Distance From Edge To Hole Center Along Length:
0.562 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Square
Second Leg Relationship To First Leg:
Not identical

NSN 5340-00-202-2692

Double Angle Bracket - Page 2 of 2



First Leg Angle: 90.0 degrees Second Leg Angle: 90.0 degrees Special Features: 2nd leg has 1.743 radius cutout along width edge; has 4 holes Material: Steel comp 301 Material Specification: Mil-s-5059 military specification single material response Style Designator: Double angle Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.