NSN 5340-00-213-9319

Rod End Clevis - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-213-9319

Thread Class:
3b rod connection
Thread Direction:
Right-hand rod connection
Thread Length:
0.290 inches rod connection
Hole Diameter:
Between 0.256 inches and 0.266 inches
Overall Height:
0.620 inches
Overall Width:
0.740 inches
End Radius:
0.310 inches
Fork Span Width:
0.380 inches
Distance From Pivot Pinhole Center To Rod Connection End:
1.020 inches
Fork Arm Thickness:
0.180 inches
Fork Donth
Fork Depth:
0.730 inches
·
0.730 inches
0.730 inches Thread Size:
0.730 inches Thread Size: 0.112 inches rod connection
0.730 inches Thread Size: 0.112 inches rod connection Material:
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification:
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment:
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification:
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator:
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Clevis
0.730 inches Thread Size: 0.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Clevis Thread Series Designator:
O.730 inches Thread Size: O.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Clevis Thread Series Designator: Unf rod connection
O.730 inches Thread Size: O.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, t651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Clevis Thread Series Designator: Unf rod connection Shelf Life:
O.730 inches Thread Size: O.112 inches rod connection Material: Aluminum alloy 7075 Material Specification: Qq-a-225/9, 1651 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Clevis Thread Series Designator: Unf rod connection Shelf Life: N/a

No

NSN 5340-00-213-9319

Rod End Clevis - Page 2 of 2



Fiig:

A264a0

Mil-std (military Standard):

Mil-a-8625 spec.