

View Online at <https://aerobasegroup.com/nsn/5340-00-221-5469>

**Fabrication Method (non-core):**

Cast

**Mounting Hole Type:**

Counterbored

**First Leg Length:**

2.375 inches

**Second Leg Length:**

2.438 inches

**Reinforcement Method (non-core):**

Web center section

**Second Leg Width:**

5.500 inches

**Second Leg End Width:**

2.750 inches

**Second Leg Hole Diameter:**

Between 0.875 inches and 0.877 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

2.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.062 inches

**First Leg Thickness:**

0.500 inches

**Second Leg Thickness:**

0.375 inches

**First Leg Width:**

5.500 inches

**First Leg Corner Radius:**

0.250 inches

**First Leg Style:**

Corner radius

**Second Leg Style:**

Square and tapered

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

First leg has 5 holes: 2 holes, 0.250 in. Dia, center-to-center distance between holes 4.125 in.; 2 holes directly below, 0.376 in. Min, 0.396 in. Maximum dia, center-to-center distance between holes 4.125 in.; 1 hole, 0.125 in. Dia, located at dead center

**Material:**

Aluminum alloy 535.0

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-i-8625, type 2 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-i-8625 spec.