NSN 5340-00-221-9055

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-221-9055 **Mounting Hole Type:** Plain First Leg Length: 0.750 inches Second Leg Length: 0.750 inches Second Leg Width: 4.500 inches First Leg Hole Diameter: 0.440 inches Second Leg Hole Diameter: 0.440 inches Second Leg Distance From Edge To Hole Center Along Width: 0.339 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.455 inches First Leg Thickness: 0.125 inches Second Leg Thickness: 0.125 inches **Center Section Height:** 3.050 inches **Center Section Width:** 4.500 inches **Center Section Thickness:** 0.125 inches First Leg Width: 4.500 inches First Leg Distance Between Hole Centers Along Width: 1.312 inches First Leg Distance From Edge To Hole Center Along Width: First Leg Distance From Edge To Hole Center Along Length: 0.360 inches First Leg Style: Extended flat First Leg Hole Arrangement Style:

Two holes Second Leg Style: Extended flat **Second Leg Hole Arrangement Style:** One hole

NSN 5340-00-221-9055

Double Angle Bracket - Page 2 of 2



| Second Leg Relationship To First Leg: |
|--|
| Not identical |
| First Leg Angle: |
| 90.0 degrees |
| Second Leg Angle: |
| 90.0 degrees |
| Special Features: |
| Second leg extended tapered 0.200 in. Lg to 0.980 in. Lg |
| Material: |
| Aluminum alloy 6061 |
| Material Specification: |
| Qq-a-250/11 federal specification single material response |
| Style Designator: |
| Adjacent angles |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A042a0 |