

View Online at <https://aerobasegroup.com/nsn/5340-00-222-8256>

First Leg Length:

1.062 inches

Second Leg Length:

4.390 inches

Second Leg Width:

0.625 inches

First Leg Slot Length:

0.375 inches

First Leg Slot Width:

0.281 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.312 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

Second Leg Slot Length:

0.375 inches

Second Leg Slot Width:

0.281 inches

First Leg Thickness:

0.060 inches

Second Leg Thickness:

0.060 inches

First Leg Width:

0.625 inches

First Leg Distance From Edge To Hole Center Along Width:

0.312 inches

First Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Offset Angle:

85.0 degrees

Material:

Steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020

Surface Treatment:

Cadmium or zinc

Surface Treatment Specification:

Ams 2400 assn standard 1st treatment response or ams 2402 assn standard 2nd treatment response

Style Designator:

Offset angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0