

View Online at <https://aerobasegroup.com/nsn/5340-00-222-8256>

**First Leg Length:**

1.062 inches

**Second Leg Length:**

4.390 inches

**Second Leg Width:**

0.625 inches

**First Leg Slot Length:**

0.375 inches

**First Leg Slot Width:**

0.281 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**Second Leg Slot Length:**

0.375 inches

**Second Leg Slot Width:**

0.281 inches

**First Leg Thickness:**

0.060 inches

**Second Leg Thickness:**

0.060 inches

**First Leg Width:**

0.625 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.375 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Offset Angle:**

85.0 degrees

**Material:**

Steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020

**Surface Treatment:**

Cadmium or zinc

**Surface Treatment Specification:**

Ams 2400 assn standard 1st treatment response or ams 2402 assn standard 2nd treatment response

**Style Designator:**

Offset angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0