

View Online at <https://aerobasegroup.com/nsn/5340-00-225-2814>

Thread Class:

3a rod connection

Thread Direction:

Right-hand rod connection

Thread Length:

1.050 inches rod connection

Shank Length:

1.150 inches

Hole Diameter:

Between 0.190 inches and 0.194 inches

Shank Diameter:

0.250 inches

Overall Height:

0.625 inches

Overall Width:

0.625 inches

End Radius:

0.380 inches

Fork Span Width:

Between 0.282 inches and 0.287 inches

Distance From Pivot Pinhole Center To Rod Connection End:

1.900 inches

Fork Arm Thickness:

0.169 mils and 0.172 centimeters

Fork Depth:

0.625 inches

Thread Size:

0.250 inches rod connection

Material:

Steel comp 303

Material Specification:

Mil-s-7720, cond a military specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Dps9.07, mcdonnell douglas corporation mfr ref single treatment response

Style Designator:

Clevis

Test Data Document:

88277-d.P.S. 4.707 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unf rod connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A264a0

Mil-std (military Standard):

Mil-s-7720 spec.